



## Antivirals: HIV- emtricitabine / tenofovir alafenamide (Descovy®)

Please fax this completed form to (866) 399-0929 OR mail to: Envolve Pharmacy Solutions PA Department | 5 River Park Place
East, Suite 210 | Fresno, CA 93720

Patient Date of birth ProviderOne ID or Coordinated Care ID  Pharmacy name Pharmacy NPI Telephone number Fax number  Prescriber Prescriber NPI Telephone number Fax number  Medication and strength Directions for use Qty/Days supply  1. Has patient used this medication within the last 6 months?	Date of request:	Reference #:		MAS:			
Prescriber	Patient	Date of birth		ProviderOne ID or Coordinated Care ID			
Medication and strength  1. Has patient used this medication within the last 6 months?	Pharmacy name Pharmacy NPI Telep		Teleph	none number Fax number			
1. Has patient used this medication within the last 6 months?  Yes No  If yes, contact patient's pharmacy. The pharmacy may submit the claim with Expedited Authorization (EA):  • 8500000006: Continuation of pre-exposure prophylaxis (PrEP) therapy.  • 8500000007: Continuation of antiviral treatment.  2. What is this request prescribed for?    HIV-1 Treatment. Which other ART medication will be used in combination with emtricitabine/TAF?    PrEP. Provide date of last negative test for HIV-1:    Other:  3. What is the patient's current weight? kg Date taken:  4. What is the patient's creatinine clearance? mL/min Date taken:  5. Check all that apply for patient:    Requires renal hemodialysis   Hypertension   Diabetes   Hepatitis C   CrCl has decreased ≥ 25% from baseline   African American with family history of kidney disease   High risk for bone complications as determined by a history of   Arm or hip fracture with minimal trauma   Vertebral compression factor   T-score ≤ -2.0 (DXA) at the femoral neck or spine   Taking glucocorticosteriods for more than two (2) months   What is the diagnosis requiring glucocorticoid regimen?   What is the diagnosis requiring glucocorticoid regimen?   What is the expected duration of therapy of glucocorticoid regimen?	Prescriber NPI Te		Teleph	one number	Fax number		
If yes, contact patient's pharmacy. The pharmacy may submit the claim with Expedited Authorization (EA):  • 85000000007: Continuation of pre-exposure prophylaxis (PrEP) therapy.  • 8500000007: Continuation of antiviral treatment.  2. What is this request prescribed for?    HIV-1 Treatment. Which other ART medication will be used in combination with emtricitabine/TAF?    PrEP. Provide date of last negative test for HIV-1:    Other:  3. What is the patient's current weight? kg Date taken:  4. What is the patient's creatinine clearance? mL/min Date taken:  5. Check all that apply for patient:    Requires renal hemodialysis     Hypertension     Diabetes     Hepatitis C     CrCl has decreased ≥ 25% from baseline     African American with family history of kidney disease     High risk for bone complications as determined by a history of     Arm or hip fracture with minimal trauma     Vertebral compression factor     T-score ≤ -2.0 (DXA) at the femoral neck or spine     Taking glucocorticosteriods for more than two (2) months    • What is the diagnosis requiring glucocorticoid regimen?   • What is patient's current glucocorticoid regimen?   • What is the expected duration of therapy of glucocorticoid regimen?	Medication and strength		Dire	Directions for use		Qty/Days supply	
HIV-1 Treatment. Which other ART medication will be used in combination with emtricitabine/TAF?   PrEP. Provide date of last negative test for HIV-1:   Other:  3. What is the patient's current weight? kg Date taken:  4. What is the patient's creatinine clearance? mL/min Date taken:  5. Check all that apply for patient:   Requires renal hemodialysis   Hypertension   Diabetes   Hepatitis C   CrCl has decreased ≥ 25% from baseline   African American with family history of kidney disease   High risk for bone complications as determined by a history of   Arm or hip fracture with minimal trauma   Vertebral compression factor   T-score ≤ -2.0 (DXA) at the femoral neck or spine   Taking glucocorticosteriods for more than two (2) months   What is the diagnosis requiring glucocorticoid regimen?   What is the expected duration of therapy of glucocorticoid regimen?   What is the expected duration of therapy of glucocorticoid regimen?	If yes, contact patient's pharmacy. The pharmacy may submit the claim with Expedited Authorization (EA):  • 8500000006: Continuation of pre-exposure prophylaxis (PrEP) therapy.  • 8500000007: Continuation of antiviral treatment.						
Other:  3. What is the patient's current weight? kg Date taken:  4. What is the patient's creatinine clearance? mL/min Date taken:  5. Check all that apply for patient:  Requires renal hemodialysis Hypertension Diabetes Hepatitis C CrCl has decreased ≥ 25% from baseline African American with family history of kidney disease High risk for bone complications as determined by a history of Arm or hip fracture with minimal trauma Vertebral compression factor T-score ≤ -2.0 (DXA) at the femoral neck or spine Taking glucocorticosteriods for more than two (2) months  What is the diagnosis requiring glucocorticoid regimen?  What is patient's current glucocorticoid regimen?  What is the expected duration of therapy of glucocorticoid regimen?  CHART NOTES and LAB TESTS ARE REQUIRED FOR THIS REQUEST							
3. What is the patient's current weight? kg Date taken:  4. What is the patient's creatinine clearance? mL/min Date taken:  5. Check all that apply for patient:  Requires renal hemodialysis Hypertension Diabetes Hepatitis C CrCl has decreased ≥ 25% from baseline African American with family history of kidney disease High risk for bone complications as determined by a history of Arm or hip fracture with minimal trauma Vertebral compression factor T-score ≤ -2.0 (DXA) at the femoral neck or spine Taking glucocorticosteriods for more than two (2) months  What is the diagnosis requiring glucocorticoid regimen?  What is patient's current glucocorticoid regimen?  What is the expected duration of therapy of glucocorticoid regimen?	PrEP. Provide date of last negative test for HIV-1:						
<ul> <li>4. What is the patient's creatinine clearance? mL/min Date taken:</li> <li>5. Check all that apply for patient:  Requires renal hemodialysis Hypertension Diabetes Hepatitis C CrCl has decreased ≥ 25% from baseline African American with family history of kidney disease High risk for bone complications as determined by a history of Arm or hip fracture with minimal trauma Vertebral compression factor T-score ≤ -2.0 (DXA) at the femoral neck or spine Taking glucocorticosteriods for more than two (2) months  What is the diagnosis requiring glucocorticoid regimen? What is patient's current glucocorticoid regimen? What is the expected duration of therapy of glucocorticoid regimen?</li> </ul>	Other:						
5. Check all that apply for patient:  Requires renal hemodialysis Hypertension Diabetes Hepatitis C CrCl has decreased ≥ 25% from baseline African American with family history of kidney disease High risk for bone complications as determined by a history of Arm or hip fracture with minimal trauma Vertebral compression factor T-score ≤ -2.0 (DXA) at the femoral neck or spine Taking glucocorticosteriods for more than two (2) months  What is the diagnosis requiring glucocorticoid regimen? What is patient's current glucocorticoid regimen? What is the expected duration of therapy of glucocorticoid regimen?  CHART NOTES and LAB TESTS ARE REQUIRED FOR THIS REQUEST	3. What is the patient's current weight? kg Date taken:						
Requires renal hemodialysis  Hypertension  Diabetes  Hepatitis C  CrCl has decreased ≥ 25% from baseline  African American with family history of kidney disease  High risk for bone complications as determined by a history of  Arm or hip fracture with minimal trauma  Vertebral compression factor  T-score ≤ -2.0 (DXA) at the femoral neck or spine  Taking glucocorticosteriods for more than two (2) months  What is the diagnosis requiring glucocorticoid regimen?  What is patient's current glucocorticoid regimen?  What is the expected duration of therapy of glucocorticoid regimen?  CHART NOTES and LAB TESTS ARE REQUIRED FOR THIS REQUEST	4. What is the patient's creatinine clearance? mL/min Date taken:						
	Requires renal hemodialysis  Hypertension  Diabetes  Hepatitis C  CrCl has decreased ≥ 25% from baseline  African American with family history of kidney disease  High risk for bone complications as determined by a history of  Arm or hip fracture with minimal trauma  Vertebral compression factor  T-score ≤ -2.0 (DXA) at the femoral neck or spine  Taking glucocorticosteriods for more than two (2) months  What is the diagnosis requiring glucocorticoid regimen?  What is patient's current glucocorticoid regimen?  What is the expected duration of therapy of glucocorticoid regimen?						
riescriber signature riescriber specialty Date	Prescriber signature Prescriber specialty				DR THIS REQUE Date	51	

Envolve Pharmacy Solutions will respond via fax or phone within 24 hours of receipt of the request. Requests for prior authorization must include member name, ID#, and drug name. Please include lab reports with requests when appropriate (e.g., Culture and Sensitivity; Hemoglobin A1C; Serum Creatinine; CD4; Hematocrit; WBC, etc.)